


TECHNICAL DATA



ORANGE POLISH FOAM CNC

A HIGH CONCENTRATED FOAMING POLISH FOAM.

ORANGE POLISH FOAM is a concentrated dark orange cherry scented liquid with high foaming properties designed specifically for polish wash systems. ORANGE POLISH FOAM is a unique blend of surfactants and the newest wetting agents which produces superior cleaning properties along with a very appealing show for the customer.

ADVANTAGES

1. Produces a orange foam visible to the customer inside the vehicle.
2. Renews a lustrous shine to the vehicles paint.
3. Inhibited against odor causing bacteria.
4. Safe on all paint finishes.
5. Superbly cleans exterior of vehicles quickly and economically.

APPLICATION

ORANGE POLISH FOAM may be applied by using a central feed system, low pressure chemical pump or hydrominder. For automatic dispensing consult a Mondo Sales representative.

NOTE: It is recommended that the water temperature be 80-140 F.

STORAGE

Avoid excessive heat and keep from freezing.



MATERIAL SAFETY DATA SHEET

Section 1 - Product Identification and Use.

Product Name: Orange Polish Foam CNC

Use: Car Polish Compound

Manufacturer:

Mondo Products Company Limited
695 Westney Road South
Unit #1, Ajax, Ontario L1S 6M9
Emergency No. : 1-800-465-5676
Canutec No.: 1-613-996-6666

Supplier:

Same

TDG Hazard Classification: n/r

WHIMIS Classification: D2B

Section 2 - Hazardous Ingredients

Hazardous Ingredients	%w/w	PIN/CAS #	LD 50	LC 50
Dodecylbenzene Sulphonate	10-20	12068-21-2	n/d	n/d
Modified Polyethoxylates Alcohol	1-5	68603-25-8	2400mg/kg	n/d
Sodium Xylene Sulfonate	1-10	479154	n/d	n/d

Section 3 - Physical Data

Physical State : Liquid

Appearance / Odour : Orange, Cherry Odour

pH : 10.5

Freezing Point (°C) : n/d

Vapour Pressure : Same as Water

Solubility in Water: (20°C) : Soluble

Coefficient of Water / Oil Distribution : n/a

Evaporation Rate : n/e

Specified Gravity (g/mL) : 1.024

Vapour Density : n/d

Percentage Volatile : >75%

Section 4 - Fire and Explosion Data

Flammable [] Yes [X] No

Flash Point (°C) : 141 degrees F

Auto Ignition Temp (°C) : n/a

Extinguishing Media : Water [X]; Dry Chemical [X]; Carbon Dioxide [X]; Foam[X]

Special Fire Fighting Procedures: Normal fire fighting procedures may be used.

Hazardous Combustion Products: Oxides of Carbon, Nitrogen and products of incomplete combustion.

Explosive Sensitivity : n/a

Section 5 - Reactivity Data

Stability : [] Stable [X] Unstable []

Conditions to Avoid : none known

Incompatibility (Materials to Avoid) : Strong Oxidizing agents and acidic material

Hazardous Decomposition Products : None known

Conditions of Reactivity : n/a

Section 6 - Toxicological Properties

Effects of Acute Exposure to Materials:

Eyes: May cause irritation.

Skin : Prolong or repeated exposure may cause irritation.

Ingestion : No serious or irreversible effects expected.

Inhalation : Mist may slightly irritate nose, throat and lungs.

Effects of Chronic Exposure to Material : n/d

Section 7 - Preventative Measures

Personal Protective Equipment

Gloves : Rubber Gloves

Other: Impervious Clothes

Footwear : Rubber Boots

Eye Protection: Chemical goggles

Respiratory Equipment: None required

Special Handling Procedures: n/a

Ventilation Requirements : General Ventilation Sufficient.

Incompatibility: None Known

Spill Procedures : Small spills - flush with water. Large spill - contain and collect in a container. Flush spill area with lots of water.

Waste Disposal : Dispose in accordance with all Local, Provincial and Federal regulations.

Storage Requirements : Store in a cool, dry area, in a closed container. Avoid freezing.

Section 8 - First Aid Measures

Eyes: Flush with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician.

Skin: Wash contaminated area with warm water. If irritation continues get medical attention.

Ingestion: If victim is conscious administer 1-2 glasses of water. Contact a physician.

Inhalation : Remove victim to fresh air. Contact a physician if breathing difficulties persist.

Additional Information: n/a

Section 9 - MSDS Preparation

Sources Used : MSDS, WHIMIS Regs.

Preparation Date : November, 2010

Prepared By: Mondo Products Company Limited
Lab Personnel
695 Westney Road South
Unit #1
Ajax, Ontario
L1S 6M9

Emergency No.: 1-800-465-5676

Canutec No.: 1-613-996-6666