


# TECHNICAL DATA



## ***SUPER FOAM DETERGENT CNC***

### **A HIGH CONCENTRATED LIQUID DETERGENT SPECIALLY DESIGNED FOR FOAM CAR WASHES**

SUPER FOAM DETERGENT is a dark, blue liquid specially formulated for use in automatic car washes with foam brushes. SUPER FOAM DETERGENT is a medium viscous product with a pleasant scent. It provides excellent lubricity, cleaning and assists in the elimination of slime and odors which are prevalent in foam wash facilities.

### ***SPECIAL FEATURES***

1. Composed of the newest lubricity, wetting and penetrating agents for quick and economical soil removal.
2. Maintains industries highest foam lubricity.
3. Provides high density foam even at low concentrations.
4. Completely biodegradable and phosphate free.
5. Safe on all painted surfaces - requires no special handling precautions.
6. Rinse free of streaks; leaves no residual film.
7. Pleasant smell throughout the entire car wash.

### ***APPLICATION***

SUPER FOAM DETERGENT may be applied by using a central feed system, low pressure chemical pump or hydrominder. For automatic dispensing consult a Mondo Sales representative.

NOTE: It is recommended that the water temperature be 80-140 F.

### ***STORAGE***

Avoid excessive heat and keep from freezing.



# MATERIAL SAFETY DATA SHEET

## Section 1 - Product Identification and Use.

**Product Name:** Super Foam Detergent CNC

**Use:** Car Wash Detergent

**Manufacturer:**

Mondo Products Company Limited  
695 Westney Road South  
Unit #1, Ajax, Ontario L1S 6M9  
Emergency No. : 1-800-465-5676  
Canutec No.: 1-613-996-6666

**Supplier:**

Same

**TDG Hazard Classification:** Sodium Dodecyl Benzene Sulphate solution, class 9.2, PIN 9146, P.G. III  
**WHIMIS Classification:** D2B

## Section 2 - Hazardous Ingredients

| Hazardous Ingredients          | %w/w  | PIN/CAS #  | LD 50 | LC 50 |
|--------------------------------|-------|------------|-------|-------|
| Sodium Dodecylbenzene Sulphate | 10-30 | 25155-30-0 | n/d   | n/d   |
| Alcohol Ethoxylates            | 1-10  | 58439-46-3 | n/d   | n/d   |
| Sulphated Alcohol Ethxylate    | 10-30 | 32612-48-9 | n/d   | n/d   |

## Section 3 - Physical Data

**Physical State:** Liquid

**Appearance/Odour:** Clear, Blue / Mild Odour

**pH :** 7.5 - 8.5

**Freezing Point (°C) :** 0°

**Vapour Pressure :** Same as Water

**Solubility In Water: (20°C) :** Soluble

**Boiling Point (°C) :** 100

**Coefficient of Water / Oil Distribution :** n/a

**Evaporation Rate :** n/e

**Specified Gravity (g/mL) :** 1.027

**Vapour Density :** Same as Water

**Percentage Volatile :** >60%

**Odour Threshold :** (PPM) n/d

## Section 4 - Fire and Explosion Data

**Flammable** [ ] Yes [ X ] No

**Flash Point (°C) :** n/a

**Auto Ignition Temp (°C) :** n/a

**Extinguishing Media :** Water [X]; Dry Chemical [X]; Carbon Dioxide [X]; Foam[X];

**Special Fire Fighting Procedures :** Normal fire fighting procedures may be used.

**Hazardous Combustion Products :** Oxides of Carbon, Nitrogen and products of incomplete combustion

**Explosive Sensitivity :** none

## Section 5 - Reactivity Data

**Stability :** [ ] Stable [ X ] Unstable [ ]

**Conditions to avoid:** none known

**Incompatibility (Materials to Avoid) :** Strong oxidizing and reducing agents.

**Hazardous Decomposition Products :** None known

**Conditions of Reactivity :** n/a

### **Section 6 - Toxicological Properties**

**Effects of Acute Exposure to Materials:**

**Eyes:** May cause reddening and irritation.

**Skin :** Prolong or repeated exposure may cause irritation.

**Ingestion:** May cause irritation of mouth, throat, nausea and vomiting.

**Inhalation :** Mist may slightly irritate nose, throat and lungs.

**Effects of Chronic Exposure to Materials:** n/d

### **Section 7 - Preventative Measures**

**Personal Protective Equipment**

**Gloves :** Rubber Gloves.

**Other :** Impervious Clothes

**Footwear :** Rubber boots

**Eye Protection :** Chemical Goggles

**Respiratory Equipment:** None Required

**Special Handling:** n/a

**Ventilation Requirements:** Use a well ventilated area.

**Incompatibility :** None known

**Spill Procedures :** Small spills - Flush with water. Large spill - contain and collect in a container. Flush spill area with lots of water.

**Waste Disposal :** Dispose in accordance with all Local, Provincial and Federal Regulations.

**Storage Requirements :** Store in a cool, dry area, in a closed container. Avoid freezing

### **Section 8 - First Aid Measures**

**Eyes :** Flush with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a Physician.

**Skin :** Wash contaminated area with warm water. If irritation continues get medical attention.

**Ingestion :** If victim is conscious administer 1-2 glasses of water. Contact a Physician.

**Inhalation :** Remove victim to fresh air. Contact a Physician if breathing difficulties persist.

Additional Information : n/a.

### **Section 9 - MSDS Preparation**

**Sources Used :** MSDS, WHIMIS Regs.

**Preparation Date :** October, 2010

Prepared By: Mondo Products Company Limited

Lab Personnel

695 Westney Road South

Unit #1

Ajax, Ontario

L1S 6M9

Emergency No.: 1-800-465-5676

Canutec No.: 1-613-996-6666