


# TECHNICAL DATA



## ***WHEEL BRIGHT CNC***

### **MULTI-PURPOSE CITRUS CLEANER**

WHEEL BRIGHT is an excellent, environmentally safe, multi-purpose cleaner. It has been specially formulated to provide maximum cleaning power safely and with little effort. This new super cleaner is formulated from a citrus base with a special surfactants to accelerate its natural cleaning ability.

### ***WHERE TO USE***

WHEEL BRIGHT can be used for the following applications:

1. Walls - Effectively removes grime, dirt from tiled, epoxy coated, painted walls
2. Floors - Soiled, Oily, Greasy floors are easy in garages, shops, equipment rooms etc.
3. Broiler & Equipment Rooms.  
- WHEEL BRIGHT makes these jobs a breeze for fork lifts, compressors, Hydraulic cylinders, engines, counter tops, etc.
4. Print Shops - WHEEL BRIGHT attacks ink smudges on counters, vinyl seats, some fabrics, etc.

### ***HOW TO USE***

WHEEL BRIGHT comes ready to use. On walls and counters. WHEEL BRIGHT can be diluted three parts to water to one part WHEEL BRIGHT. On tough jobs simply spray WHEEL BRIGHT directly on the problem area and wipe off with a clean rag or mop.

Spraying can be done with a spray bottle, power sprayer, or a pump-up sprayer or foam gun.

### ***STORAGE***

Avoid excessive heat and keep from freezing.



# MATERIAL SAFETY DATA SHEET

## Section 1 - Product Identification and Use.

**Product Name:** Wheel Bright CNC

**Use:** Citrus Degreaser

**Manufacturer:**

Mondo Products Company Limited  
695 Westney Road South  
Unit #1, Ajax, Ontario L1S 6M9  
Emergency No. : 1-800-465-5676  
Canutec No.: 1-613-996-6666

**Supplier:**

Same

**TDG Hazard Classification:** Sodium Dodecyl Benzene Sulphonate, Class 9.2

**WHIMIS Classification:** D2B

## Section 2 - Hazardous Ingredients

Hazardous Ingredients	%w/w	PIN/CAS #	LD 50	LC 50
Sodium Dodecylbenzene Sulphonate	10-30	25155-30-0	n/d	n/d
Ether Iminodipropionate	1-5	64972-19-6	n/d	n/d
Sulphate Alcohol Ethoxylate	10-30	32612-48-9	n/d	n/d
D'Limonene	10-20	5989-27-5	n/d	n/d

## Section 3 - Physical Data

**Physical State :** Liquid

**Appearance / Odour :** Clear, Orange, Citrus Odour

**pH :** 4.5-5.5

**Freezing Point (~C) :** n/d

**Vapour Pressure :** same as water

**Solubility in Water: (20~C) :** Soluble

**Boiling Point (°C):** 100

**Coefficient of Water / Oil Distribution:** n/a

**Evaporation Rate :** n/e

**Specified Gravity (g/cc) :** 1.102

**Vapour Density :** Same as water

**Percentage Volatile :** >60%

**Odour Threshold (PPM):** n/d

## Section 4 - Fire and Explosion Data

**Flammable** [ ] Yes [ X ] No

**Flash Point(~C) :** n/a

**Auto Ignition Temp (~C) :** n/a

**Extinguishing Media :** Water [X]; Dry Chemical [X]; Carbon Dioxide [X]; Foam[X]

**Special Fire Fighting Procedures:** Not required.

**Hazardous Combustion Products :** Oxides of Carbon, products of incomplete combustion.

**Explosive Sensitivity :** None

## Section 5 - Reactivity Data

**Stability :** [ ] Stable [ X ] Unstable [ ]

**Conditions to Avoid :** none known

**Incompatibility (Materials to Avoid) :** Strong oxidizing and reducing agents.

**Hazardous Decomposition Products :** None known

**Conditions of Reactivity :** n/a

### **Section 6 - Toxicological Properties**

#### **Effects of Acute Exposure to Materials:**

**Eyes:** May cause reddening and irritation.

**Skin :** Prolong or repeated exposure may cause irritation.

**Ingestion :** May cause irritation to mouth, throat, nausea and vomiting.

**Inhalation :** Mist may irritate nose, throat and lungs.

**Effects of Chronic Exposure to Material :** n/d

### **Section 7 - Preventative Measures**

#### **Personal Protective Equipment**

**Gloves :** Rubber Gloves

**Other:** Impervious Clothes

**Footwear :** Rubber Boots

**Eye Protection:** Chemical goggles

**Respiratory Equipment:** None required

**Special Handling Procedures:** n/a

**Ventilation Requirements :** Use a well ventilated area.

**Incompatibility:** None Known.

**Spill Procedures :** Small spills - flush with water. Large spill - contain and collect in a container. Flush spill area with large volumes of water.

**Waste Disposal :** Dispose in accordance with all Local, Provincial and Federal regulations.

**Storage Requirements :** Store in a cool, dry area, in a closed container. Avoid freezing.

### **Section 8 - First Aid Measures**

**Eyes:** Flush with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician.

**Skin:** Wash contaminated area with warm water. If irritation continues get medical attention.

**Ingestion:** If victim is conscious, administer 1-2 glasses of water. Contact a physician.

**Inhalation :** Remove victim to fresh air. Contact a physician if breathing difficulties persist.

Additional Information: n/a

### **Section 9 - MSDS Preparation**

**Sources Used :** MSDS, WHIMIS Regs.

**Preparation Date :** October, 2010

Prepared By: Mondo Products Company Limited

Lab Personal

695 Westney Road South

Unit #1

Ajax, Ontario

L1S 6M9

Emergency No.: 1-800-465-5676

Canutec No.: 1-613-996-6666