


TECHNICAL DATA



CHERRY AIR FRESHENERS

CHERRY SCENT

AIR FRESHENERS are a pleasant scented liquid designed for full service car wash operations. They have been formulated to provide just the right amount of fragrance when introduced into the interior of a vehicle.

WHERE TO USE

1. Automobile carpets and mats.
2. Car seats - both upholstered or vinyl.
3. Automatic upholstery dispensing equipment.
4. Carpet shampooing machines.
5. General cleaning of rags, uniforms, etc.

HOW TO USE

On car floors, seats, and mats AIR FRESHENERS can be diluted twenty parts water to one part AIR FRESHENER. On tougher odours simply spray AIR FRESHENER diluted with five parts water to one part AIR FRESHENER directly on the problem area and wipe with a clean rag.

Spraying can be done with a spray bottle, power sprayer or pump - up sprayer or foam gun.

Note: Be sure to test on an inconspicuous area first.

MATERIAL SAFETY DATA SHEET

Section 1 - Product Identification and Use.

Product Name: Cherry Air Freshener

Use: Air Freshener

Manufacturer:

Mondo Products Company Limited
695 Westney Road South
Unit #1, Ajax, Ontario L1S 6M9
Emergency No. : 1-800-465-5676
Canutec No.: 1-613-996-6666

Supplier:

Same

TDG Hazard Classification: Flammable Liquid

WHIMIS Classification:

Section 2 - Hazardous Ingredients

Hazardous Ingredients	%w/w	PIN/CAS #	LD 50	LC 50
Ethyleneglycol Monobutylether	1-5	111-76-2	1480mg/kg	500ppm/4h
Isopropyl Alcohol	1-5	67-63-0	5840mg/kg	22627ppm/4h

Section 3 - Physical Data

Physical State : Liquid

Appearance / Odour : Red, Clear/Cherry Odour

pH : 10.3

Freezing Point (~C) : n/d

Vapour Pressure : same as water

Solubility in Water: (20~C) : Soluble

Coefficient of Water / Oil Distribution: n/a

Evaporation Rate : n/e

Specified Gravity (g/cc) : .988

Vapour Density : n/d

Percentage Volatile : 75%

Section 4 - Fire and Explosion Data

Flammable [X] Yes [] No

Flash Point(~C) : 19

Auto Ignition Temp (~C) : n/a

Extinguishing Media : Water [X]; Dry Chemical [X]; Carbon Dioxide [X]; Foam[X]

Special Fire Fighting Procedures: Normal fire fighting procedures may be used.

Hazardous Combustion Products : Oxides of Carbon, Nitrogen and products of incomplete combustion.

Explosive Sensitivity : n/a

Section 5 - Reactivity Data

Stability : [] Stable [X] Unstable []

Conditions to Avoid : none known

Incompatibility (Materials to Avoid) : Strong oxidizing agents .

Hazardous Decomposition Products : None known

Conditions of Reactivity : n/a

Section 6 - Toxicological Properties

Effects of Acute Exposure to Materials:

Eyes: May cause irritation or possible eye injury if not rinsed immediately.

Skin : Prolong or repeated exposure may cause irritation.

Ingestion : May cause irritation of mouth, throat, nausea and vomiting.

Inhalation : Mist may slightly irritate nose, throat and lungs.

Effects of Chronic Exposure to Material : n/d

Section 7 - Preventative Measures

Personal Protective Equipment

Gloves : Rubber Gloves

Other: Impervious Clothes

Footwear : Rubber Boots

Eye Protection: Chemical goggles

Respiratory Equipment: None required

Special Handling Procedures: n/a

Ventilation Requirements : General Ventilation Sufficient.

Incompatibility: None Known.

Spill Procedures : Small spills - flush with water. Large spill - contain and collect in a container. Flush spill area with large volumes of water.

Waste Disposal : Dispose in accordance with all Local, Provincial and Federal regulations.

Storage Requirements : Store in a cool, dry area, in a closed container. Avoid freezing.

Section 8 - First Aid Measures

Eyes: Flush with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician.

Skin: Wash contaminated area with warm water. If irritation continues get medical attention.

Ingestion: If victim is conscious, administer 1-2 glasses of water. Contact a Physician.

Inhalation : Remove victim to fresh air. Contact a physician if breathing difficulties persist.

Additional Information: n/a

Section 9 - MSDS Preparation

Sources Used : MSDS, WHIMIS Regs.

Preparation Date : October, 2010

Prepared By: Mondo Products Company Limited

Lab Personal

695 Westney Road South

Unit #1


Ajax, Ontario

L1S 6M9

Emergency No.: 1-800-465-5676

Canutec No.: 1-613-996-6666

TECHNICAL DATA



LEMON AIR FRESHENERS

LEMON SCENT

AIR FRESHENERS are a pleasant scented liquid designed for full service car wash operations. They have been formulated to provide just the right amount of fragrance when introduced into the interior of a vehicle.

WHERE TO USE

1. Automobile carpets and mats.
2. Car seats - both upholstered or vinyl.
3. Automatic upholstery dispensing equipment.
4. Carpet shampooing machines.
5. General cleaning of rags, uniforms, etc.

HOW TO USE

On car floors, seats, and mats AIR FRESHENERS can be diluted twenty parts water to one part AIR FRESHENER. On tougher odours simply spray AIR FRESHENER diluted with five parts water to one part AIR FRESHENER directly on the problem area and wipe with a clean rag.

Spraying can be done with a spray bottle, power sprayer or pump - up sprayer or foam gun.

Note: Be sure to test on an inconspicuous area first.

MATERIAL SAFETY DATA SHEET

Section 1 - Product Identification and Use.

Product Name: Lemon Air Freshener

Use: Air Freshener

Manufacturer:

Mondo Products Company Limited
695 Westney Road South
Unit #1, Ajax, Ontario L1S 6M9
Emergency No. : 1-800-465-5676
Canutec No.: 1-613-996-6666

Supplier:

Same

TDG Hazard Classification: Flammable Liquid

WHIMIS Classification:

Section 2 - Hazardous Ingredients

Hazardous Ingredients	%w/w	PIN/CAS #	LD 50	LC 50
Ethyleneglycol Monobutylether	1-5	111-76-2	1480mg/kg	500ppm/4h
Isopropyl Alcohol	1-5	67-63-0	5840mg/kg	22627ppm/4h

Section 3 - Physical Data

Physical State : Liquid

Appearance / Odour : Dark Yellow, Clear/Lemon Odour

pH : 10.3

Freezing Point (~C) : n/d

Vapour Pressure : same as water

Solubility in Water: (20~C) : Soluble

Coefficient of Water / Oil Distribution: n/a

Evaporation Rate : n/e

Specified Gravity (g/cc) : .988

Vapour Density : n/d

Percentage Volatile : 75%

Section 4 - Fire and Explosion Data

Flammable [X] Yes [] No

Flash Point(~C) : 19

Auto Ignition Temp (~C) : n/a

Extinguishing Media : Water [X]; Dry Chemical [X]; Carbon Dioxide [X]; Foam[X]

Special Fire Fighting Procedures: Normal fire fighting procedures may be used.

Hazardous Combustion Products : Oxides of Carbon, Nitrogen and products of incomplete combustion.

Explosive Sensitivity : n/a

Section 5 - Reactivity Data

Stability : [] Stable [X] Unstable []

Conditions to Avoid : none known

Incompatibility (Materials to Avoid) : Strong oxidizing agents .

Hazardous Decomposition Products : None known

Conditions of Reactivity : n/a

Section 6 - Toxicological Properties

Effects of Acute Exposure to Materials:

Eyes: May cause irritation or possible eye injury if not rinsed immediately.

Skin : Prolong or repeated exposure may cause irritation.

Ingestion : May cause irritation of mouth, throat, nausea and vomiting.

Inhalation : Mist may slightly irritate nose, throat and lungs.

Effects of Chronic Exposure to Material : n/d

Section 7 - Preventative Measures

Personal Protective Equipment

Gloves : Rubber Gloves

Other: Impervious Clothes

Footwear : Rubber Boots

Eye Protection: Chemical goggles

Respiratory Equipment: None required

Special Handling Procedures: n/a

Ventilation Requirements : General Ventilation Sufficient.

Incompatibility: None Known.

Spill Procedures : Small spills - flush with water. Large spill - contain and collect in a container. Flush spill area with large volumes of water.

Waste Disposal : Dispose in accordance with all Local, Provincial and Federal regulations.

Storage Requirements : Store in a cool, dry area, in a closed container. Avoid freezing.

Section 8 - First Aid Measures

Eyes: Flush with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician.

Skin: Wash contaminated area with warm water. If irritation continues get medical attention.

Ingestion: If victim is conscious, administer 1-2 glasses of water. Contact a Physician.

Inhalation : Remove victim to fresh air. Contact a physician if breathing difficulties persist.

Additional Information: n/a

Section 9 - MSDS Preparation

Sources Used : MSDS, WHIMIS Regs.

Preparation Date : October, 2010

Prepared By: Mondo Products Company Limited

Lab Personal

695 Westney Road South

Unit #1


Ajax, Ontario

L1S 6M9

Emergency No.: 1-800-465-5676

Canutec No.: 1-613-996-6666

TECHNICAL DATA



PINE AIR FRESHENERS

PINE SCENT

AIR FRESHENERS are a pleasant scented liquid designed for full service car wash operations. They have been formulated to provide just the right amount of fragrance when introduced into the interior of a vehicle.

WHERE TO USE

1. Automobile carpets and mats.
2. Car seats - both upholstered or vinyl.
3. Automatic upholstery dispensing equipment.
4. Carpet shampooing machines.
5. General cleaning of rags, uniforms, etc.

HOW TO USE

On car floors, seats, and mats AIR FRESHENERS can be diluted twenty parts water to one part AIR FRESHENER. On tougher odours simply spray AIR FRESHENER diluted with five parts water to one part AIR FRESHENER directly on the problem area and wipe with a clean rag.

Spraying can be done with a spray bottle, power sprayer or pump - up sprayer or foam gun.

Note: Be sure to test on an inconspicuous area first.

STORAGE

Avoid excessive heat and keep product from freezing.

MATERIAL SAFETY DATA SHEET

Section 1 - Product Identification and Use.

Product Name: Pine Air Freshener

Use: Air Freshener

Manufacturer:

Mondo Products Company Limited
695 Westney Road South
Unit #1, Ajax, Ontario L1S 6M9
Emergency No. : 1-800-465-5676
Canutec No.: 1-613-996-6666

Supplier:

Same

TDG Hazard Classification: Flammable Liquid

WHIMIS Classification:

Section 2 - Hazardous Ingredients

Hazardous Ingredients	%w/w	PIN/CAS #	LD 50	LC 50
Ethyleneglycol Monobutylether	1-5	111-76-2	1480mg/kg	500ppm/4h
Isopropyl Alcohol	1-5	67-63-0	5840mg/kg	22627ppm/4h

Section 3 - Physical Data

Physical State : Liquid

Appearance / Odour : Dark Green, Clear/Pine Odour

pH : 10.3

Freezing Point (~C) : n/d

Vapour Pressure : same as water

Solubility in Water: (20~C) : Soluble

Coefficient of Water / Oil Distribution: n/a

Evaporation Rate : n/e

Specified Gravity (g/cc) : .988

Vapour Density : n/d

Percentage Volatile : 75%

Section 4 - Fire and Explosion Data

Flammable [X] Yes [] No

Flash Point(~C) : 19

Auto Ignition Temp (~C) : n/a

Extinguishing Media : Water [X]; Dry Chemical [X]; Carbon Dioxide [X]; Foam[X]

Special Fire Fighting Procedures: Normal fire fighting procedures may be used.

Hazardous Combustion Products : Oxides of Carbon, Nitrogen and products of incomplete combustion.

Explosive Sensitivity : n/a

Section 5 - Reactivity Data

Stability : [] Stable [X] Unstable []

Conditions to Avoid : none known

Incompatibility (Materials to Avoid) : Strong oxidizing agents .

Hazardous Decomposition Products : None known

Conditions of Reactivity : n/a

Section 6 - Toxicological Properties

Effects of Acute Exposure to Materials:

Eyes: May cause irritation or possible eye injury if not rinsed immediately.

Skin : Prolong or repeated exposure may cause irritation.

Ingestion : May cause irritation of mouth, throat, nausea and vomiting.

Inhalation : Mist may slightly irritate nose, throat and lungs.

Effects of Chronic Exposure to Material : n/d

Section 7 - Preventative Measures

Personal Protective Equipment

Gloves : Rubber Gloves

Other: Impervious Clothes

Footwear : Rubber Boots

Eye Protection: Chemical goggles

Respiratory Equipment: None required

Special Handling Procedures: n/a

Ventilation Requirements : General Ventilation Sufficient.

Incompatibility: None Known.

Spill Procedures : Small spills - flush with water. Large spill - contain and collect in a container. Flush spill area with large volumes of water.

Waste Disposal : Dispose in accordance with all Local, Provincial and Federal regulations.

Storage Requirements : Store in a cool, dry area, in a closed container. Avoid freezing.

Section 8 - First Aid Measures

Eyes: Flush with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician.

Skin: Wash contaminated area with warm water. If irritation continues get medical attention.

Ingestion: If victim is conscious, administer 1-2 glasses of water. Contact a Physician.

Inhalation : Remove victim to fresh air. Contact a physician if breathing difficulties persist.

Additional Information: n/a

Section 9 - MSDS Preparation

Sources Used : MSDS, WHIMIS Regs.

Preparation Date : October, 2010

Prepared By: Mondo Products Company Limited

Lab Personal

695 Westney Road South

Unit #1

Ajax, Ontario

L1S 6M9

Emergency No.: 1-800-465-5676

Canutec No.: 1-613-996-6666