


TECHNICAL DATA



BLANCO

A CONCENTRATE LAUNDRY DETERGENT

BLANCO is a white powdered laundry. *BLANCO* is high foaming product developed specified for car wash laundry machines to provide optimum cleaning.

ADVANTAGES

1. Contains a pleasant LEMON scent which appeals to the customer's smell.
2. Completely biodegradable and phosphate free for safe sewage disposal.
3. Provides superior cleaning and rinses without spots or streaks.
4. Provides excellent cleaning which minimizes wear to cleaning towels.
5. Safe on all fabrics.
6. Maximum cleaning power.
7. High active detergents to remove dirt and grime from car wash towels.
8. Penetrates and lifts soils, grime and oil easily.

APPLICATION

BLANCO is generally dispensed into the laundry machine prior to turning on the water cycle. For best results, dilute one part *BLANCO* to fifty parts water.

STORAGE

Avoid excessive heat and keep from freezing.

MATERIAL SAFETY DATA SHEET

Section 1 - Product Identification and Use.

Product Name: BLANCO

Use: Laundry Detergent.

Manufacturer:

Mondo Products Company Limited
695 Westney Road South
Unit #1, Ajax, Ontario L1S 6M9
Emergency No. : 1-800-465-5676
Canutec No.: 1-613-996-6666

Supplier:

Same

TDG Hazard Classification: Compounded Product

WHIMIS Classification: D2B

Section 2 - Hazardous Ingredients

Hazardous Ingredients	%w/w	PIN/CAS #	LD 50	LC 50
Soda Ash	40-70	497-19-8	23300mg/kg	n/d
Sodium Tripolyphosphate	5-10	n/d	6500mg/kg	n/d
Sodium Metasilicate	5-10	68334-92-0	n/d	n/d
Alcohol Ethoxylate	1-5	68439-46-3	n/d	n/d

Section 3 - Physical Data

Physical State : Powder

Appearance / Odour : White Powder

pH : 11.5 in 1% sol'n

Freezing Point (~C) : n/d

Vapour Pressure : n/d

Solubility in Water: (20~C) : Soluble

Boiling Point (°C) : n/a

Coefficient of Water / Oil Distribution: n/a

Evaporation Rate : n/e

Specified Gravity (g/cc) : n/a

Vapour Density : n/d

Percentage Volatile : >75%

Odour Threshold (PPM) : n/d

Section 4 - Fire and Explosion Data

Flammable [] Yes [X] No

Flash Point(~C) : n/a

Auto Ignition Temp (~C) : n/a

Extinguishing Media : Water [X]; Dry Chemical [X]; Carbon Dioxide [X]; Foam[X]

Special Fire Fighting Procedures: Not Required

Hazardous Combustion Products : n/d

Explosive Sensitivity : none

Section 5 - Reactivity Data

Stability : [] Stable [X] Unstable []

Conditions to Avoid : none known

Incompatibility (Materials to Avoid) : Strong oxidizing agents and reducing agents.

Hazardous Decomposition Products : None known.

Conditions of Reactivity : n/a

Section 6 - Toxicological Properties

Effects of Acute Exposure to Materials:

Eyes: Corrosive. May cause irritation. Must be treated promptly.

Skin : Corrosive. Prolong or repeated exposure may cause irritation.

Ingestion : Corrosive, May cause pain, vomiting and burning of the mouth and stomach.

Inhalation : Mist may irritate nose, throat and lungs.

Effects of Chronic Exposure to Material : n/d

Section 7 - Preventative Measures

Personal Protective Equipment

Gloves : Rubber Gloves

Other: Impervious Clothes

Footwear : Rubber Boots

Eye Protection: Chemical goggles

Respiratory Equipment: None required

Special Handling Procedures: n/a

Ventilation Requirements : Use a well ventalated area.

Incompatibility: None Known.

Spill Procedures : Small spills -sweep up.

Waste Disposal : Dispose in accordance with all Local, Provincial and Federal regulations.

Storage Requirements : Store in a cool, dry area, in a closed container. Avoid freezing.

Section 8 - First Aid Measures

Eyes: Flush with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician.

Skin: Wash contaminated area with warm water. If irritation continues get medical attention.

Ingestion: If victim is conscious administer 1-2 glasses of water.Contact a physician.Do not induce vomiting

Inhalation : Remove victim to fresh air. Contact a physician if breathing difficulties persist.

Additional Information: n/a

Section 9 - MSDS Preparation

Sources Used : MSDS, WHIMIS Regs.

Preparation Date : October, 2010

Prepared By: Mondo Products Company Limited
Lab Personal
695 Westney Road South
Unit #1
Ajax, Ontario
L1S 6M9

Emergency No.: 1-800-465-5676

Canutec No.: 1-613-996-6666