

# TECHNICAL DATA



## ***CHERRY SEALER WAX***

**A PERFUMED HOT SPRAY WAX FOR AUTOMATIC AND SELF SERVE CAR WASHES.**

CHERRY SEALER WAX is a liquid wax emulsion for use in the final rinse arch of automatic car washes. It performs exceptionally following the application of a foaming polish wax to provide a water repelling protective wax coating to the vehicles surface. CHERRY SEALER WAX produces rapid beading action which promotes additional dryness to the automobile.

### ***ADVANTAGES***

1. Contains anti-corrosive properties which assists in retarding the formation of rust.
2. Mixes readily and quickly with water forming a stable wax emulsion.
3. Assists in the elimination of water spotting.
4. Facilitates faster drying.
5. Safe for all metal surfaces.
6. Effective even in low concentrations.
7. Appeals to customer sense of smell due to cherry fragrance.

### ***APPLICATION***

CHERRY SEALER WAX is applied in the final rinse area of the car wash through a spray arch. Dilute concentrated CHERRY SEALER WAX by adding one part concentrate to ten parts water. This mixture should be applied to the vehicle at rate of eight ounces per car for optimum results. For automatic dispensing consult a Mondo Sales representative. The application of CHERRY SEALER WAX is the last stage of car wash process before entering the blowers.

### ***STORAGE***

Avoid excessive heat and keep product from freezing.

# MATERIAL SAFETY DATA SHEET

## Section 1 - Product Identification and Use.

**Product Name:** Cherry Sealer Wax

**Use:** Car Wash Spray Wax

**Manufacturer:**

Mondo Products Company Limited  
695 Westney Road South  
Unit #1, Ajax, Ontario L1S 6M9  
Emergency No. : 1-800-465-5676  
Canutec No.: 1-613-996-6666

**Supplier:**

Same

**TDG Hazard Classification:** n/r

**WHIMIS Classification:** D2B

## Section 2 - Hazardous Ingredients

Hazardous Ingredients	%w/w	PIN/CAS #	LD 50	LC 50
Isopropyl Alcohol	1-5	67-63-0	5840mg/kg	22627 ppm/4h
Soya/coco Amidoamine Quat.	8-15	68604-75-1	n/d	n/d
Ethyleneglycol Monobutyl	1-5	11-72-2	1480mg/kg	500 ppm/4h
Mineral Seal Oil	10-20	64741-44-2	5000mg/kg	n/d
Cherry Perfum	1-3	n/d	n/d	n/d

## Section 3 - Physical Data

**Physical State :** Liquid

**Appearance / Odour :** Cherry Odour

**pH :** 6-8.5

**Freezing Point (~C) :** n/d

**Vapour Pressure :** Same as Water

**Solubility In Water: (20~C) :** Soluble

**Boiling Point (°C) :** 150

**Coefficient of Water/Oil Distribution :** n/a

**Evaporation Rate :** n/e

**Specified Gravity (g/cc) :** .96

**Vapour Density :** Same as Water

**Percentage Volatile :** >70%

## Section 4 - Fire and Explosion Data

**Flammable** [ ] Yes [X] No

**Flash Point (~C) :** n.a.

**Auto Ignition Temp (~C) :** n.a.

**Extinguishing Media :** Water [X]; Dry Chemical [X]; Carbon Dioxide [X]; Foam[X]

**Special Fire Fighting Procedures :** Normal fire fighting procedures may be used.

**Hazardous Combustion Products :** Oxides of Carbon and products of incomplete combustion.

**Explosive Sensitivity :** n/a

## Section 5 - Reactivity Data

**Stability :** [ ] Stable [X] Unstable [ ]

**Conditions to Avoid :** excessive heat

**Incompatibility (Materials to Avoid) :** Strong Oxidizing Agents.

**Hazardous Decomposition Products :** None known.

**Conditions of Reactivity :** n/a

### **Section 6 - Toxicological Properties**

#### **Effects of Acute Exposure to Materials**

**Eyes** : May cause irritation or possible eye injury if not rinsed immediately.

**Skin** : No serious effects.

**Ingestion**: May cause nausea, vomiting and diarrhea.

**Inhalation**: Mist may slightly irritate nose, throat and lungs. May cause central nervous system depression (narcosis), dizziness, headache.

**Effects of Chronic Exposure to Materials** : n/d

### **Section 7 - Preventative Measures**

#### **Personal Protective Equipment**

**Gloves** : Rubber Gloves

**Other** : Impervious Clothes

**Footwear** : Rubber Boots

**Eye Protection**: Chemical Goggles

**Respiratory Equipment**: None Required.

**Special Handling Procedures**: n/a

**Ventilation Requirements** :Use a well ventilated area.

Incompatibility: None Known.

**Spill Procedures** : Small spills - flush with water. Large Spill - contain and collect in a container. Flush spill area with lots of water.

**Waste Disposal**: Dispose in accordance with all Local, Provincial and Federal Regulations.

**Storage Requirements**: Store in a cool, dry area, in a closed container. Avoid freezing.

### **Section 8 - First Aid Measures**

**Eyes**: Flush with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a Physician.

**Skin**: Wash contaminated area with warm water. If irritation continues get medical attention.

**Ingestion**: If victim is conscious administer 1-2 glasses of water. Contact a Physician.

**Inhalation**: Remove victim to fresh air. Contact a Physician if breathing difficulties persist.

Additional information: n/a

### **Section 9 - MSDS Preparation**

**Sources Used** : MSDS, WHIMIS Regs.

**Preparation Date** : October, 2010

Prepared By: Mondo Products Company Limited  
Lab Personal  
695 Westney Road South  
Unit #1  
Ajax, Ontario  
L1S 6M9

Emergency No.: 1-800-465-5676

Canutec No.: 1-613-996-6666