


# TECHNICAL DATA



## ***SUNSHINE POLISH WAX***

### **A HIGH CONCENTRATED FOAMING POLISH WAX.**

SUNSHINE WAX is a clear, dark YELLOW liquid with high foaming properties designed specifically for polish wash systems. SUNSHINE POLISH WAX is a unique blend of surfactants and the newest wetting agents which produces superior cleaning properties along with a very appealing show for the customer.

### ***ADVANTAGES***

1. Produces a YELLOW visible foam to the customer inside the vehicle.
2. Renews a lustrous shine to the vehicles paint.
3. Inhibited against odor causing bacteria.
4. Safe on all paint finishes.
5. Superb cleans exterior of vehicles quickly and economically.

### ***APPLICATION***

It is recommended that one to three ounces of product be used per car. The concentrated fluid should be drawn directly from the venturi foaming system. SUNSHINE POLISH WAX is generally applied through a foaming system where air, water, and product are generated together to produce a thick YELLOW blanket of foam. The polish wax application should be the last application to the vehicle.

MONDO PRODUCTS COMPANY LIMITED suggests that a wax should be applied in the final rinse to adequately protect the newly cleaned surface of the vehicle.

### ***STORAGE***

Avoid excessive heat and keep product from freezing.



# MATERIAL SAFETY DATA SHEET

## Section 1 - Product Identification and Use.

**Product Name:** Sunshine Polish Wax

**Use:** Car Polish Compound

**Manufacturer:**

Mondo Products Company Limited  
695 Westney Road South  
Unit #1, Ajax, Ontario L1S 6M9  
Emergency No. : 1-800-465-5676  
Canutec No.: 1-613-996-6666

**Supplier:**

Same

**TDG Hazard Classification:** n/r

**WHIMIS Classification:** D2B

## Section 2 - Hazardous Ingredients

Hazardous Ingredients	%w/w	PIN/CAS #	LD 50	LC 50
Ethyleneglycol Monobutylether	1-5	111-76-2	1480mg/kg	500 ppm/4h
Isopropyl Alcohol	1-5	67-63-0	5840mg/kg	22627 ppm/4h
Dodecylbenzene Sulphonate	1-5	12068-21-2	n/d	n/d
Modified Polyethoxylates Alcohol	1-5	686033-25-8	2400mg/kg	n/d

## Section 3 - Physical Data

**Physical State :** Liquid

**Appearance / Odour :** Dark Green, Clear / Mild Odour

**pH :** 10.5

**Freezing Point (~C) :** n/d

**Vapour Pressure :** Same as Water

**Solubility in Water: (20~C) :** Soluble

**Coefficient of water / Oil Distribution:** n/a

**Evaporation Rate :** n/e

**Specified Gravity (g/cc) :** 1.024

**Vapour Density :** n/d

**Percentage Volatile :** >75%

## Section 4 - Fire and Explosion Data

**Flammable** [ ] Yes [X] No

**Flash Point(~C) :** n/a

**Auto Ignition Temp (~C) :** n/a

**Extinguishing Media :** Water [X]; Dry Chemical [X]; Carbon Dioxide [X]; Foam[X]

**Special Fire Fighting Procedures:** Normal fire fighting procedures may be used.

**Hazardous Combustion Products:** Oxides of Carbon, Nitrogen, and products of incomplete combustion.

**Explosive Sensitivity :** n/a

## Section 5 - Reactivity Data

**Stability :** [ ] Stable [X] Unstable [ ]

**Conditions to Avoid :** none known.

**Incompatibility (Materials to Avoid) :** Strong Oxidizing agents and Acidic material.

**Hazardous Decomposition Products :** none known.

**Conditions of Reactivity :** n/a

### **Section 6 - Toxicological Properties**

#### **Effects of Acute Exposure to Materials:**

**Eyes:** May cause irritation.

**Skin :** Prolong or repeated exposure may cause irritation.

**Ingestion :** No serious or irreversible effects expected.

**Inhalation :** Mist may slightly irritate nose, throat and lungs.

**Effects of Chronic Exposure to Material :** n/d

### **Section 7 - Preventative Measures**

#### **Personal Protective Equipment**

**Gloves :** Rubber Gloves

**Other:** Impervious Clothes

**Footwear :** Rubber Boots

**Eye Protection:** Chemical goggles

**Respiratory Equipment:** None required

**Special Handling Procedures:** n/a

**Ventilation Requirements :** General Ventilation Sufficient.

**Spill Procedures :** Small spills - flush with water. Large spill - contain and collect in a container. Flush spill area with lots of water.

**Waste Disposal :** Dispose in accordance with all Local, Provincial and Federal regulations.

**Storage Requirements :** Store in a cool, dry area, in a closed container. Avoid freezing.

### **Section 8 - First Aid Measures**

**Eyes:** Flush with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician.

**Skin:** Wash contaminated area with warm water. If irritation continues get medical attention.

**Ingestion:** If victim is conscious administer 1-2 glasses of water. Contact a physician.

**Inhalation :** Remove victim to fresh air. Contact a physician if breathing difficulties persist.

Additional Information: n/a

### **Section 9 - MSDS Preparation**

**Sources Used :** MSDS, WHIMIS Regs.

**Preparation Date :** October, 2010

Prepared By: Mondo Products Company Limited  
Lab Personal  
695 Westney Road South  
Unit #1  
Ajax, Ontario  
L1S 6M9

Emergency No.: 1-800-465-5676

Canutec No.: 1-613-996-6666