


TECHNICAL DATA



TIRE KLEEN

A CONCENTRATED HEAVY DUTY WHITE WALL TIRE CLEANER.

TIRE KLEEN is a clear, green liquid containing a unique combination of corrosion inhibitors and higher alkaline, more powerful cleaning agents. TIRE KLEEN is completely safe on aluminum and metals. It provides revolutionary cleaning action in the removal of soils, dirt and grime from whitewall tires.

TIRE KLEEN contains a balanced system of inorganic builders, organic surface active agents and water miscible solvents.

ADVANTAGES

1. Safe on aluminum and soft metals.
2. Efficient in both hot and cold water.
3. Non-toxic, non flammable, and biodegradable.
4. Penetrates stubborn soils.
5. Easy to use, wide range of cleaning capabilities.

APPLICATION

TIRE KLEEN is designed for use in all automatic and self serve coin washes. Dilute TIRE KLEEN one part product to ten parts water with a total of one ounce being applied per vehicle. Apply dilute product onto white wall tire, scrub with a coarse brush, and rinse.

TIRE KLEEN is a mildly alkaline soap and should be handled carefully. Refer to the Material Data Sheet.

TIRE KLEEN may be used to clean a variety of rubber, plastic, vinyl and other materials.

STORAGE

Avoid excessive heat and keep from freezing.

MATERIAL SAFETY DATA SHEET

Section 1 - Product Identification and Use.

Product Name: Tire Kleen

Use: Heavy Duty Cleaner

Manufacturer:

Mondo Products Company Limited
695 Westney Road South
Unit #1, Ajax, Ontario L1S 6M9
Emergency No. : 1-800-465-5676
Canutec No.: 1-613-996-6666

Supplier:

Same

TDG Hazard Classification: n/r

WHIMIS Classification: D2B

Section 2 - Hazardous Materials

Hazardous Ingredients	%w/w	PIN/CAS #	LD 50	LC 50
Sodium Metasilicate	1-5	6834-92-0	n/d	n/d
Sodium Lauryl Sulphate	1-5	151-21-3	1280mg/kg	n/d
Sodium Dodecylbenzene Sulphonate	1-5	25155-30-0	n/d	n/d
Ethyleneglycol Monobutylether	1-5	111-76-2	1480mg/kg	500 ppm/4h
Alcohol Ethoxylate	1-5	68439-46-3	n/d	n/d

Section 3 - Physical Data

Physical State : Liquid

Appearance / Odour : Green, Clear / Mild Odour

pH : 11.5

Freezing Point (~C) : 0~

Vapour Pressure : Same as Water

Solubility in Water: (20~C) : Soluble

Boiling Point (°C): 100

Coefficient of Water / Oil Distribution : n/d

Evaporation Rate : n/d

Specified Gravity (g/cc) : 1.06

Vapour Density : Same as Water

Percentage Volatile : >80%

Section 4 - Fire and Explosion Data

Flammable [] Yes [X] No

Flash Point(~C) : n/a

Auto Ignition Temp (~C) : n/a

Extinguishing Media : Water [X]; Dry Chemical [X]; Carbon Dioxide [X]; Foam[X]

Special Fire Fighting Procedures: Normal fire fighting procedures may be used.

Hazardous Combustion Products: Oxides of Carbon, and products of incomplete combustion.

Explosive Sensitivity : n/a

Section 5 - Reactivity Data

Stability : [] Stable [X] Unstable []

Conditions to Avoid : none known

Incompatibility (Materials to Avoid) : Strong Oxidizing agents.

Hazardous Decomposition Products : None known.

Conditions of Reactivity : n/a

Section 6 - Toxicological Properties

Effects of Acute Exposure to Materials:

Eyes: May cause irritation or possible eye injury if not rinsed immediately.

Skin : Prolong or repeated exposure may cause irritation.

Ingestion : No serious or irreversible effects expected. May cause nausea, vomiting and diarrhea.

Inhalation : Mist may slightly irritate nose, throat and lungs.

Effects of Chronic Exposure to Material : n/d

Section 7 - Preventative Measures

Personal Protective Equipment

Gloves : Rubber Gloves

Other: Impervious Clothes

Footwear : Rubber Boots

Eye Protection: Chemical goggles

Respiratory Equipment: None required.

Special Handling Procedures: n/a

Ventilation Requirements : Use a well ventilated area.

Incompatibility: None Known.

Spill Procedures : Small spills - flush with water. Large spill - contain and collect in a container. Flush spill area with lots of water.

Waste Disposal : Dispose in accordance with all Local, Provincial and Federal regulations.

Storage Requirements : Store in a cool, dry area, in a closed container. Avoid freezing.

Section 8 - First Aid Measures

Eyes: Flush with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician.

Skin: Wash contaminated area with warm water. If irritation continues get medical attention.

Ingestion: If victim is conscious administer 1-2 glasses of water. Contact a physician.

Inhalation : Remove victim to fresh air. Contact a physician if breathing difficulties persist.

Additional Information: n/a

Section 9 - MSDS Preparation

Sources Used : MSDS, WHIMIS Regs.

Preparation Date : October, 2010

Prepared By: Mondo Products Company Limited

Lab Personal

695 Westney Road South

Unit #1

Ajax, Ontario

L1S 6M9

Emergency No.: 1-800-465-5676

Canutec No.: 1-613-996-6666