


TECHNICAL DATA



WAX KLEEN

A HIGH CONCENTRATED FOAMING POLISH WAX

WAX KLEEN is a clear dark green liquid with high foaming properties designed specifically for polish wax systems. WAX KLEEN is a unique blend of synthetic waxes and the newest wetting agents which combines superior cleaning properties and sufficient lubricants to the polish brushes.

ADVANTAGES

1. Produces a stable, thick, green foam visible to the customer inside the vehicle.
2. Renews a lustrous shine to the vehicle paint.
3. Designed to dissipate quickly for easy rinsing.
4. Safe on all paint finishes.
5. Assists in cleaning the exterior of the vehicle.

APPLICATION

It is recommended that .75 to 1.0 ounces of product be used per car. The concentrated chemical should be drawn directly to the venturi foaming system. WAX KLEEN is generally applied through a foaming system where air, water and product are generated together to produce a thick green blanket of foam. The polish wax application should be the last area in which the vehicle is polished before final rinsing.

Mondo Products Company Limited suggests that Super Seal should be applied in the final rinse to adequately protect the newly cleaned surface on the vehicle.

STORAGE

Avoid excessive heat and keep from freezing.

MATERIAL SAFETY DATA SHEET

Section 1 - Product Identification and Use.

Product Name: Wax Kleen

Use: Car Polish Compound

Manufacturer:

Mondo Products Company Limited
695 Westney Road South
Unit #1, Ajax, Ontario L1S 6M9
Emergency No. : 1-800-465-5676
Canutec No.: 1-613-996-6666

Supplier:

Same

TDG Hazard Classification: n/r

WHIMIS Classification: D2B

Section 2 - Hazardous Ingredients

Hazardous Ingredients	%w/w	PIN/CAS #	LD 50	LC 50
Ethyleneglycol Monobutylether	1-5	111-76-2	1480mg/kg	500 ppm/4h
Isopropyl Alcohol	1-5	67-63-0	5840mg/kg	22627 ppm/4H
Dodecylbenzene Sulphonate	1-5	12068-21-2	n/d	n/d
Modified Polyethoxylates Alcohol	1-5	686033-25-8	2400mg/kg	n/d

Section 3 - Physical Data

Physical State : Liquid

Appearance / Odour : Dark Green, Clear/Mild Odour

pH : 10.5

Freezing Point (~C) : n/d

Vapour Pressure : Same as Water

Solubility in Water: (20~C) : Soluble

Coefficient of Water / Oil Distribution: n/a

Evaporation Rate : n/e

Specified Gravity (g/cc) : 1.024

Vapour Density : n/d

Percentage Volatile : >75%

Section 4 - Fire and Explosion Data

Flammable [] Yes [X] No

Flash Point(~C) : n/a

Auto Ignition Temp (~C) : n/a

Extinguishing Media : Water [X]; Dry Chemical [X]; Carbon Dioxide [X]; Foam[X]

Special Fire Fighting Procedures: Normal fire fighting procedures may be used.

Hazardous Combustion Products : Oxides of Carbon, Nitrogen and products of incomplete combustion.

Explosive Sensitivity : n/a

Section 5 - Reactivity Data

Stability : [] Stable [X] Unstable []

Conditions to Avoid : none known

Incompatibility (Materials to Avoid) : Strong oxidizing agents and acidic material

Hazardous Decomposition Products : None known.

Conditions of Reactivity : n/a

Section 6 - Toxicological Properties

Effects of Acute Exposure to Materials:

Eyes: May cause irritation.

Skin : Prolong or repeated exposure may cause irritation.

Ingestion : No serious or irreversible effects expected.

Inhalation : Mist may irritate nose, throat and lungs.

Effects of Chronic Exposure to Material : n/d

Section 7 - Preventative Measures

Personal Protective Equipment

Gloves : Rubber Gloves

Other: Impervious Clothes

Footwear : Rubber Boots

Eye Protection: Chemical goggles

Respiratory Equipment: None required

Special Handling Procedures: n/a

Ventilation Requirements : General Ventilation Sufficient

Incompatibility: None Known.

Spill Procedures : Small spills - flush with water. Large spill - contain and collect in a container. Flush spill area with lots of water.

Waste Disposal : Dispose in accordance with all Local, Provincial and Federal regulations.

Storage Requirements : Store in a cool, dry area, in a closed container. Avoid freezing.

Section 8 - First Aid Measures

Eyes: Flush with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician.

Skin: Wash contaminated area with warm water. If irritation continues get medical attention.

Ingestion: If victim is conscious administer 1-2 glasses of water. Contact a physician.

Inhalation : Remove victim to fresh air. Contact a physician if breathing difficulties persist.

Additional Information: n/a

Section 9 - MSDS Preparation

Sources Used : MSDS, WHIMIS Regs.

Preparation Date : October, 2010

Prepared By: Mondo Products Company Limited

Lab Personal

695 Westney Road South

Unit #1

Ajax, Ontario

L1S 6M9

Emergency No.: 1-800-465-5676

Canutec No.: 1-613-996-6666