



CHERRY POLISH WAX CNC

A HIGH CONCENTRATED FOAMING POLISH WAX.

CHERRY POLISH WAX is a clear, dark red liquid with high foaming properties designed specifically for polish wash systems. CHERRY POLISH WAX is a unique blend of surfactants and the newest wetting agents which produces superior cleaning properties along with a very appealing show for the customer.

ADVANTAGES

- 1. Produces a red foam visible to the customer inside the vehicle.
- 2. Renews a lustrous shine to the vehicles paint.
- 3. Inhibited against odor causing bacteria.
- 4. Safe on all paint finishes.
- 5. Superb cleans exterior of vehicles quickly and economically.

APPLICATION

It is recommended that one to three ounces of product be used per car. The concentrated fluid should be drawn directly from the venturi foaming system. CHERRY POLISH WAX is generally applied through a foaming system where air, water, and product are generated together to produce a thick red blanket of foam. The polish wax application should be the first application to the vehicle.

MONDO PRODUCTS COMPANY LIMITED suggests that a wax should be applied in the final rinse to adequately protect the newly cleaned surface of the vehicle.

STORAGE

Avoid excessive heat and keep product from freezing.

MATERIAL SAFETY DATA SHEET

Section 1 - Product Identification and Use.

Same

Product Name: Cherry Polish Wax CNC Use: Car Polish Compound

Manufacturer: Supplier:

Mondo Products Company Limited

695 Westney Road South
Unit #1, Ajax, Ontario L1S 6M9
Emergency No.: 1-800-465-5676
Canutec No.: 1-613-996-6666
TDG Hazard Classification: n/r
WHIMIS Classification: D2B

Section 2 - Hazardous Ingredients

| Hazardous Ingredients | %w/w | PIN/CAS # | LD 50 | LC 50 |
|----------------------------------|-------|------------|-----------|-------|
| Sodium Dodecylbenzene Sulphonate | 10-20 | 12068-21-2 | n/d | n/d |
| Modified Polyethoxylates Alcohol | 1-5 | 68603-25-8 | 2400mg/kg | n/d |
| Sodium Xylene Sulfonate | 1-10 | 479154 | n/d | n/d |

Section 3 - Physical Data

Physical State : Liquid

Appearance / Odour : Cherry Odour

pH: 10.5

Freezing Point (~C): n/d

Vapour Pressure : Same as Water Solubility in Water: (20~C) : Soluble

Boiling Point ('C): 150

Coefficient of Oil Distribution : n/a

Evaporation Rate : n/e

Specified Gravity (g/cc): 1.024 Vapour Density: Same as Water Percentage Volatile: >75%

Section 4 - Fire and Explosion Data

| Flammable | L |] Yes | ĮΧ, |] No |
|-----------|---|-------|-----|------|
|-----------|---|-------|-----|------|

Flash Point(\sim C) : n/a Auto Ignition Temp (\sim C) : n/a

Extinguishing Media: Water [X]; Dry Chemical [X]; Carbon Dioxide [X]; Foam[X] **Special Fire Fighting Procedures**: Normal fire fighting procedures may be used.

Hazardous Combustion Products: Oxides of Carbon, and products of incomplete combustion.

Explosive Sensitivity : n/a

Section 5 - Reactivity Data

Stability: [] Stable [X] Unstable []

Conditions to Avoid: excessive heat

Incompatibility (Materials to Avoid): Strong Oxidizing Agents.

Hazardous Decomposition Products: None known.

Conditions of Reactivity : n/a

Section 6 - Toxicological Properties

Effects of Acute Exposure to Materials:

Eyes: May cause irritation or possible eye injury if not rinsed immediately.

Skin: Prolonged or repeated exposure may cause irritation. **Ingestion**: No serious effects or irreversible effects expected. **Inhalation**: Mist may slightly irritate nose, throat and lungs.

Effects of Chronic Exposure to Material: n/d

Section 7 - Preventative Measures

Personal Protective Equipment

Gloves : Rubber Gloves

Other: Impervious Clothes

Eye Protection: Chemical goggles

Respiratory Equipment: None required

Footwear: Rubber Boots

Special Handling Procedures: n/a

Ventilation Requirements: Use a well ventilated area.

Incompatibility: None Known

Spill Procedures: Small spills - flush with water. Large spill - contain and collect in a container. Flush spill area

with lots of water.

Waste Disposal: Dispose in accordance with all Local, Provincial and Federal regulations.

Storage Requirements: Store in a cool, dry area, in a closed container. Avoid freezing.

Section 8 - First Aid Measures

Eyes: Flush with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician.

Skin: Wash contaminated area with warm water. If irritation continues get medical attention.

Ingestion: If victim is conscious administer 1-2 glasses of water. Contact a physician.

Inhalation: Remove victim to fresh air. Contact a physician if breathing difficulties persist.

Additional Information: n/a

Section 9 - MSDS Preparation

Sources Used: MSDS, WHIMIS Regs. Preparation Date: April, 2015

Prepared By: Mondo Products Company Limited

Lab Personal

695 Westney Road South

Unit #1 Ajax, Ontario L1S 6M9

Emergency No.: 1-800-465-5676 Canutec No.: 1-613-996-6666