


# TECHNICAL DATA



## ***ULTIMATE SHINE CNC***

### **A HIGH CONCENTRATED FOAMING POLISH WAX.**

ULTIMATE SHINE is a clear, dark blue liquid with high foaming properties designed specifically for polish wash systems. ULTIMATE SHINE is a unique blend of synthetic waxes and the newest wetting agent which combines superior cleaning properties and sufficient lubricants to the polishing brushes.

### ***ADVANTAGES***

1. Produces a blue foam visible to the customer inside the vehicle.
2. Renews a lustrous shine to the vehicles paint.
3. Design to dissipate quickly for easier rinsing.
4. Safe on all paint finishes.
5. Superb cleans exterior of vehicles quickly and economically.

### ***APPLICATION***

It is recommended that one to three ounces of product be used per car. The concentrated fluid should be drawn from the foaming system. ULTIMATE SHINE is generally applied though a foaming system where air, water, and product are generated together to produce a thick blue blanket of foam. The polish was application should be the second application to the vehicle.

MONDO PRODUCTS COMPANY LIMITED suggests that a wax should be applied in the final rinse to adequately protect the newly cleaned surface of the vehicle.

### ***STORAGE***

Avoid excessive heat and keep from freezing.



# MATERIAL SAFETY DATA SHEET

## Section 1 - Product Identification and Use.

**Product Name:** Ultimate Shine CNC

**Use:** Car Polish Compound

**Manufacturer:**

Mondo Products Company Limited  
695 Westney Road South  
Unit #1, Ajax, Ontario L1S 6M9  
Emergency No. : 1-800-465-5676  
Canutec No.: 1-613-996-6666

**Supplier:**

Same

**TDG Hazard Classification:** n/r

**WHIMIS Classification:** D2B

## Section 2 - Hazardous Ingredients

Hazardous Ingredients	%w/w	PIN/CAS #	LD 50	LC 50
Dodecylbenzene Sulphonate	10-20	12068-21-2	n/d	n/d
Modified Polyethoxylates Alcohol	1-5	686033-25-8	2400mg/kg	n/d
Sodium Xylene Sulfonate	1-10	479154	n/d	n/d

## Section 3 - Physical Data

**Physical State :** Liquid

**Appearance / Odour :** Dark Blue, Clear / Mild Odour

**pH :** 10.5

**Freezing Point (~C) :** n/d

**Vapour Pressure :** Same as Water

**Solubility in Water: (20~C) :** Soluble

**Coefficient of Water / Oil Distribution :** n/a

**Evaporation Rate :** n/e

**Specified Gravity (g/cc) :** 1.024

**Vapour Density :** n/d

**Percentage Volatile :** >75%

## Section 4 - Fire and Explosion Data

**Flammable** [ ] Yes [ X ] No

**Flash Point(~C) :** 141 degrees F

**Auto Ignition Temp (~C) :** n/a

**Extinguishing Media :** Water [X]; Dry Chemical [X]; Carbon Dioxide [X]; Foam[X]

**Special Fire Fighting Procedures:** Normal fire fighting procedures may be used.

**Hazardous Combustion Products:** Oxides of Carbon, Nitrogen and products of incomplete combustion.

**Explosive Sensitivity :** n/a

## Section 5 - Reactivity Data

**Stability :** [ ] Stable [ X ] Unstable [ ]

**Conditions to Avoid :** none known

**Incompatibility (Materials to Avoid) :** Strong Oxidizing agents and acidic material

**Hazardous Decomposition Products :** None known

**Conditions of Reactivity :** n/a

### **Section 6 - Toxicological Properties**

**Effects of Acute Exposure to Materials:**

**Eyes:** May cause irritation or possible eye injury if not rinsed immediately.

**Skin :** Prolong or repeated exposure may cause irritation.

**Ingestion :** May cause irritation to mouth, throat, nausea, and vomiting.

**Inhalation :** Mist may slightly irritate nose, throat and lungs.

**Effects of Chronic Exposure to Material :** n/d

### **Section 7 - Preventative Measures**

**Personal Protective Equipment**

**Gloves :** Rubber Gloves

**Other:** Impervious Clothes

**Footwear :** Rubber Boots

**Eye Protection:** Chemical goggles

**Respiratory Equipment:** None required

**Special Handling Procedures:** n/a

**Ventilation Requirements :** General Ventilation Sufficient.

**Incompatibility:** None Known

**Spill Procedures :** Small spills - flush with water. Large spill - contain and collect in a container. Flush spill area with lots of water.

**Waste Disposal :** Dispose in accordance with all Local, Provincial and Federal regulations.

**Storage Requirements :** Store in a cool, dry area, in a closed container. Avoid freezing.

### **Section 8 - First Aid Measures**

**Eyes:** Flush with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician.

**Skin:** Wash contaminated area with warm water. If irritation continues get medical attention.

**Ingestion:** If victim is conscious administer 1-2 glasses of water. Contact a physician.

**Inhalation :** Remove victim to fresh air. Contact a physician if breathing difficulties persist.

Additional Information: n/a

### **Section 9 - MSDS Preparation**

**Sources Used :** MSDS, WHIMIS Regs.

**Preparation Date :** October, 2010

Prepared By: Mondo Products Company Limited

Lab Personal

695 Westney Road South

Unit #1

Ajax, Ontario

L1S 6M9

Emergency No.: 1-800-465-5676

Canutec No.: 1-613-996-6666